




ALF2225 / ALH2225

22" Wide TFT LCD, 1000nits,WSXGA

22" wide TFT LCD panel, built-in 1000 nits high bright for sunlight readable LCD display, high transmittance color filter, high transmission polarizing plates, Low Power Consumption, suitable for kiosk, advertising, POS, marine, transportation, gaming, studio display, gas pump.

Key Features

- Sunlight Readable
- Wide Viewing Angle
- High Contrast Ratio
- Long Lamp Life
- Fast Response Time
- Thin and Light
- 12 CCFL



Specifications

V1

Model No.	ALF2225	ALH2225
Description	22" Wide TFT LCD, 1000nits,WSXGA	
Display Area (mm)	473.76 x 296.1mm	
Brightness	1000 cd/m ²	
Resolution	1680x1050 (WSXGA+)	
Contrast Ratio	1000 : 1	
Pixel Pitch (mm)	0.282(H) x 0.282(V)	
Viewing Angle	+85°~85°(H), +80°~80°(V)	
Display Colors	16.7M	
Response Time (Typical)	5ms	
Sync	LVDS	
Power Consumption	65W	
Dimensions (mm)	493.7x320.1x26.8	
Weight (Net)	2.63Kg	
Inverter	LI1222A	
Control Board (Optional)	☐ AD5621GA ☐ AD5621GD ☐ AD5766GDVA ☐ AD2662GDVAR	
☐ AD5621GA	VGA+Audio	
☐ AD5621GD	VGA+DVI	
☐ AD5766GDVA	VGA+CVBS+S-Video+Audio (Optional DVI / Component)	
☐ AD2662GDVAR	VGA+DVI (Optional S-Video/ Component / Audio)	
F / R Control Button	☐ 5 Key ☐ 4 Key	
☐ 5 Key	Power Switch, Menu, Select (+,-), Auto	
☐ 4 Key	Power Switch, Menu, Select (+,-),	
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...	
Optional	☐ AOT ☐ Touch Screen	

Specifications are subject to change without notice.

All brands or product names are trademarks or registered trademarks of their respective companies.

ALF= Panel+Inverter


ALH= Panel+Inverter+Control Board



Mechanical Drawing

Outline Dimensions

Unit:mm





Ordering Information

Part Number	Description
ALF2225-SNN-A01	22",1000nits,WSXGA,LI1222,v01
ALH2225-SNN-C01	22",1000nits,WSXGA,LI1222.AD5766GDVA,v01

Optional Accessories

Part Number	Description
840612051100	ADAPTER.12V.5A.60W.EA1050A,P
810618301010	CABLE.POWER.AC.1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE.POWER.AC.1830mm UK type
810618301170	CABLE.POWER,AC,1830mm Australia type
810618301030	CABLE.POWER.AC.1830mm Japan type